

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	326	713/184.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 10:21
L2	233	1 and (chipcard card smartcard)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 10:22
L3	690	713/185.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 10:21
L4	539	3 and (chipcard card smartcard)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 10:22
L5	67047	(chipcard card smartcard) near2 (number identifier authentication id)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 10:23
L6	95	1 and (chipcard card smartcard) near2 (number identifier authentication id)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 10:42
L7	260	3 and (chipcard card smartcard) near2 (number identifier authentication id)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 10:23

EAST Search History

L8	117	"4720860" "4885778"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 10:54
L9	340	(authenticat\$3 verify\$3 verification compar\$3 match\$3) with (cardholder holder user owner) near2 card with (only if when) and (authenticat\$3 verify\$3 verification compar\$3 match\$3 trusted untrusted) with (device computer terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 10:57
L10	150	(authenticat\$3 verify\$3 verification compar\$3 match\$3) with (cardholder holder user owner) near2 card with (only if when) same (authenticat\$3 verify\$3 verification compar\$3 match\$3 trusted untrusted) with (device computer terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 11:38
L11	181	726/20.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 11:38
L12	89	(pin password code (personal near2 number)) near2 (enter\$3 input\$4 pad button keyboard) near3 (user cardholder holder client customer) near2 (prompt\$3 request\$3 ask\$3 requir\$3) with (false invalid defective expired failed untrusted tampered tampering trusted unread near2 (chipcard card smartcard terminal computer host atm magnetic))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 11:40
L13	6	(pin password code (personal near2 number)) near2 (enter\$3 input\$4 pad button keyboard) near3 (user cardholder holder client customer) near2 (prompt\$3 request\$3 ask\$3 requir\$3) with ((false invalid defective expired failed untrusted tampered tampering trusted unread) near2 (chipcard card smartcard terminal computer host atm magnetic))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 11:41
S11 8	34	((THOMAS) near2 (SCHAECK)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/25 03:19

EAST Search History

S11 9	2	((MICHAEL) near2 (WASMUND)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/25 03:21
S12 0	3025	(pin or code id identifier key number identification) with ((card sim chip)) near2 (compar\$4 or match\$4 or verify\$4 or determin\$4 or validat\$4) with (stor\$4 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 03:43
S12 1	422	((pin or code id identifier key number identification) with ((card sim chip)) near2 (compar\$4 or match\$4 or verify\$4 or determin\$4 or validat\$4) with (stor\$4 memory)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 03:44
S12 2	168	((pin or code id identifier key number identification) with ((card sim chip)) near2 (compar\$4 or match\$4 or verify\$4 or determin\$4 or validat\$4) with (stor\$4 memory)).clm.	US-PGPUB	OR	ON	2007/06/25 03:43
S12 3	37	((second another) near2 (pin or code id identifier key number identification) with ((card sim chip)) near2 (compar\$4 or match\$4 or verify\$4 or determin\$4 or validat\$4) with (stor\$4 memory)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 04:30
S12 4	204	((("no" "not" without "don't" "does not" "doesn't") near2 (user holder owner) near2 (interven\$5 input inputting inputting enter\$3)) or ((transparent hidden hid\$3) near2 (user holder owner))) with (verification validation authenticat\$3 validat\$3 verify\$4) and card with (verification validation authenticat\$3 validat\$3 verify\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 04:29
S12 5	96	((second another) near2 (pin or code id identifier key number identification) with ((card sim chip)) near2 (compar\$4 or match\$4 or verify\$4 or determin\$4 or validat\$4) with (stor\$4 memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 04:31
S12 6	96	((second another) near2 (pin or code id identifier key number identification) with ((card sim chip)) near2 (compar\$4 or match\$4 or verify\$4 or determin\$4 or validat\$4) with (stor\$4 memory) with (card sim chip))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 04:32

EAST Search History

S12 7	1533	(pin or code id identifier key number identification) with ((smartcard card sim chip)) with (compar\$4 or match\$4 or verify\$4 or determin\$4 or validat\$4) with (stor\$4 memory) near2 (device terminal system computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 04:32
S12 8	24	S126 and S127	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:53
S12 9	0	S124 and S128	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:53
S13 0	0	S124 and S125	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:53
S13 1	204	((("no" "not" without "don't" "does not" "doesn't") near2 (user holder owner) near2 (interven\$5 input inputting inputing enter\$3)) or ((transparent hidden hid\$3) near2 (user holder owner))) with (verification validation authenticat\$3 validat\$3 verify\$4) and card with (verification validation authenticat\$3 validat\$3 verify\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 10:42
S13 2	1	"6286104".pn. and middle with (data resource content).	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 10:43
S13 3	809	pan with (enter\$3 input\$4) with (user cardholder holder client customer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 12:46
S13 4	96	(pan (account near number)) with (enter\$3 input\$4) with (user cardholder holder client customer) same (false invalid (("no" "not") near2 (valid verif\$3 validat\$3 match\$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 13:35

EAST Search History

S13 5	103	(pan (account near number)) with (enter\$3 input\$4) with (user cardholder holder client customer) same (false invalid defective (("no" "not" cannot) near3 (card)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 14:20
S13 6	21	S135 not S134	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 13:38
S13 7	2131	(pin password code (personal near2 number)) with (enter\$3 input\$4 pad button keyboard) with (user cardholder holder client customer) same (false invalid defective (("no" "not" cannot) near3 (card)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 14:25
S13 8	170	(pin password code (personal near2 number)) with (enter\$3 input\$4 pad button keyboard) with (user cardholder holder client customer) same (false invalid defective (("no" "not" cannot) near3 (chipcard card smartcard))) and (chipcard card smartcard) near2 (valid verif\$3 validat\$3 match\$3 compar\$3) with (pin password code (personal near2 number))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 16:02
S13 9	1	(pin password code (personal near2 number)) near2 (enter\$3 input\$4 pad button keyboard) near3 (user cardholder holder client customer) near2 (prompt\$3 request\$3) with (false invalid defective expired failed (("no" "not" cannot) near (chipcard card smartcard))) and (chipcard card smartcard) near2 (valid verif\$3 validat\$3 match\$3 compar\$3) with (pin password code (personal near2 number))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 16:22
S14 0	154	"4341951"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 16:10

EAST Search History

S14 1	1	(pin password code (personal near2 number)) near2 (enter\$3 input\$4 pad button keyboard) near3 (user cardholder holder client customer) near2 (prompt\$3 request\$3) with (false invalid defective expired failed (("no" "not" cannot) near (chipcard card smartcard))) and (chipcard card smartcard) near2 (verif\$3 validat\$3 match\$3 compar\$3) with (pin password code (personal near2 number))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 16:23
S14 2	48	(pin password code (personal near2 number)) near2 (enter\$3 input\$4 pad button keyboard) near3 (user cardholder holder client customer) near2 (prompt\$3 request\$3) with (false invalid defective expired failed (("no" "not" cannot) near (chipcard card smartcard)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 16:32
S14 3	47	S142 not S138	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 16:24
S14 4	39	(pin password code (personal near2 number)) near2 (enter\$3 input\$4 pad button keyboard) near3 (user cardholder holder client customer) near2 (prompt\$3 request\$3) with (false invalid defective expired failed near2 (chipcard card smartcard))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 16:36
S14 5	1	S144 not S143	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 16:33
S14 6	48	(pin password code (personal near2 number)) near2 (enter\$3 input\$4 pad button keyboard) near3 (user cardholder holder client customer) near2 (prompt\$3 request\$3) with (false invalid defective expired failed trusted near2 (chipcard card smartcard terminal computer host atm))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 16:37

EAST Search History

S14 7	50	(pin password code (personal near2 number)) near2 (enter\$3 input\$4 pad button keyboard) near3 (user cardholder holder client customer) near2 (prompt\$3 request\$3) with (false invalid defective expired failed untrusted tampered tampering trusted near2 (chipcard card smartcard terminal computer host atm))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 16:38
S14 8	4	S147 not S143	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 16:37
S14 9	59	(pin password code (personal near2 number)) near2 (enter\$3 input\$4 pad button keyboard) near3 (user cardholder holder client customer) near2 (prompt\$3 request\$3 ask\$3) with (false invalid defective expired failed untrusted tampered tampering trusted near2 (chipcard card smartcard terminal computer host atm))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 16:41
S15 0	9	S149 not S147	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 16:39
S15 1	61	(pin password code (personal near2 number)) near2 (enter\$3 input\$4 pad button keyboard) near3 (user cardholder holder client customer) near2 (prompt\$3 request\$3 ask\$3) with (false invalid defective expired failed untrusted tampered tampering trusted unread near2 (chipcard card smartcard terminal computer host atm magnetic))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 11:39
S15 2	2	S151 not S149	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 16:42

EAST Search History

S15 3	61	(pin password code (personal near2 number)) near2 (enter\$3 input\$4 pad button keyboard) near3 (user cardholder holder client customer) near2 (prompt\$3 request\$3 ask\$3) with (false invalid defective expired failed untrusted tampered tampering trusted unread unmatched near2 (chipcard card smartcard terminal computer host atm magnetic))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 16:43
S15 4	61	(pin password code (personal near2 number)) near2 (enter\$3 input\$4 pad button keyboard) near3 (user cardholder holder client customer) near2 (prompt\$3 request\$3 ask\$3) with (false invalid defective expired failed untrusted tampered tampering trusted unread unmatched near2 (chipcard card smartcard terminal computer host atm magnetic identifier account transaction))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 16:44
S15 5	465	(pin password code (personal near2 number)) near2 (enter\$3 input\$4 pad button keyboard) near3 (user cardholder holder client customer) with (false invalid defective expired failed untrusted tampered tampering trusted unread unmatched near2 (chipcard card smartcard terminal computer host atm magnetic identifier account transaction))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 16:44
S15 6	465	(pin password code (personal near2 number)) near2 (enter\$3 input\$4 pad button keyboard) near3 (user cardholder holder client customer) with (false invalid defective expired failed untrusted tampered tampering trusted unread unmatched near2 (chipcard card smartcard terminal computer host atm magnetic identifier account transaction))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 16:44
S15 7	404	S155 not S154	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 17:51

EAST Search History

S15 8	62	"5438184"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 10:18
----------	----	-----------	--	----	----	------------------